

CLAIMS

1. A siloxane resin composition obtained by mixing:

- 5 A) a MQ resin comprising at least 80 mole % of siloxy units selected from
 ($R^1_3SiO_{1/2}$)_a and ($SiO_{4/2}$)_b units, where R^1 is independently an alkyl group
 having from 1 to 8 carbon atoms, an aryl group, a carbinol group, or an amino
 group, with the proviso that at least 95 mole % of the R^1 groups are alkyl
 groups, a and b has a value greater than zero, and the ratio of a/b is 0.5 to 1.5;
- 10 B) a propyl silsesquioxane resin comprising at least 80 mole % $R^3SiO_{3/2}$ units,
 where R^3 is independently an alkyl group having from 1 to 8 carbon atoms, an
 aryl group, a carbinol group, or an amino group,
 with the proviso that at least 40 mole % of the R^3 groups are propyl,
 and optionally;
- 15 C) a volatile siloxane or organic solvent,
 wherein the weight ratio of component A to B is from 1:99 to 99:1.

2. A personal care product comprising the siloxane resin of claim 1.

3. The personal care product of claim 2, where the personal care product is a cosmetic
20 product.

4. The personal care product of claim 2, where the personal care product is a hair care
product.